

Listing and Amendments to the Claims

This listing of claims will replace the claims that were published in the PCT Application and the International Preliminary Examination Report:

1. (currently amended) A procedure for generating an address value for a communication terminal linked to a network, the procedure being ~~characterized in that~~ wherein it comprises the following steps, at terminal level:

a) scanning of messages sent over the network and reception of a message interchanged between two terminals already configured comprising a pair of first and second address values,

b) determination of a characteristic value of the network, said value being contained in the first and the second address values,

c) calculation of a third address value containing the characteristic value of the network,

d) assignment of the third address value to the terminal if this value is not already assigned to another terminal.

2. (currently amended) Procedure for generating an address value as claimed in claim 1, ~~characterized in that~~ wherein if the terminal deduces from the call captured on the communication network that the second address is available, then the calculation step consists in giving to the third value the value of the second value.

3. (currently amended) The procedure for generating an address value as claimed in claim 1, ~~characterized in that~~ wherein the third value is calculated by concatenating the characteristic value of the network with a specific value, this specific value being maximum on the first calculation, this specific value being reduced by one unit each time that the preceding third value calculated is found to be assigned to another terminal.

4. (currently amended) The procedure for generating an address value as claimed in claim 3, ~~characterized in that~~ wherein it comprises a step consisting in changing the value of the least significant bit of the characteristic value of the network, the new characteristic value being reduced by this bit, said step being triggered when all the third values calculated from the preceding characteristic value of the network are already assigned to a terminal.

5. (currently amended) The procedure for generating an address value as claimed in ~~any one of the preceding claims, characterized in that~~ claim 1, wherein the assignment step comprises a step for sending a communication request to a terminal having the third address value, and a step for awaiting reception of a response, the reception of a response signifying that the third address value is not available.

6. (currently amended) The procedure for generating an address value as claimed in ~~any one of claims 1 to 4, characterized in that~~ claim 1, wherein the assignment step comprises a step for sending a communication request to a terminal having the third address value, and a step for receiving a message sent by the network following said request indicating that the third address value is not assigned to a terminal of the network, the step for receiving such a message triggering the assignment of the third address value to the terminal.

7. (currently amended) An electronic device designed to be connected to a communication network (4), comprising a means of bidirectional communication (3) with said network, ~~characterized in that~~ wherein it comprises a means of receiving (3, 5, 6) all the messages sent over the network in order to select a message interchanged between two terminals already configured, said message comprising a first and a second address value, a means (5, 6) for determining a characteristic value of the network which constitutes a part of the first and the second address values, and for calculating a third address value containing the characteristic value of the network, and for assigning this third address value to the device if the reaction following a communication request sent by the communication means (3) to a device having the third address indicates that this third address value is not assigned to any terminal of the network.

8. (currently amended) The electronic device as claimed in claim 7, ~~characterized in that~~ wherein it comprises a means of sending (3, 5, 6) a communication request to a device having the third address value, and a means of detecting (3, 5, 6) a response to said request, the detection of a response signifying that the third address value is not assigned to a device of the network.

9. (currently amended) The electronic device as claimed in claim 7 ~~or 8,~~
~~characterized in that~~ wherein the calculation means ~~(5,6)~~ concatenates the
characteristic value of the network previously determined with a specific value, this
specific value being at its maximum on a first calculation, the calculation means
subtracting one unit from this specific value to calculate a new third address value
when it turns out that the preceding calculated address value is already assigned to a
terminal.

10. (currently amended) The electronic device as claimed in ~~any one of claims~~
~~7 to 9, characterized in that~~ claim 7, wherein it comprises a means ~~(5,6)~~ for changing
the value of the least significant bit of the characteristic value of the network, the new
characteristic value being reduced by this bit, said means being triggered when it turns
out that all third values calculated from the preceding characteristic value of the
network are already assigned to a terminal.